

COMPANY PROFILE



PT MEGA KREASI EKATAMA



CABLES SPECIALIST



RUKAN TANJUNG MAS RAYA BLOK B1-39
JL. LENTENG AGUNG TIMUR - JAKARTA - INDONESIA

 PHONE.: 7883-4405  FAX.: 7883-4406

Delivery : 707.300.85, 707.300.86

@EMAIL : MEGAKREASI@GMAIL.COM

www.mke-cables.com



"WE LIVE TO SERVE YOUR CABLING NEEDS"



MKE GO GREEN

PLEASE SUPPORT THE ENVIRONMENT BY USING THE FAMOUS 3R STEPS: Reduce, Reuse and Recycle

Feel free to print out this information in your need.

Otherwise, do please email it instead.

Thank you for your consideration and support to the environment.

www.mke-cables.com

COPYRIGHT © PT MEGA KREASI EKATAMA 2009

In This File Contains:

1. Cover,
2. This Page,
3. Preface,
4. Corporate Details,
5. Products Description,
6. – 7. Products Type



PREFACE


PT MEGA KREASI EKATAMA IS A LEADING CABLE STOCKIST MAJORLY TOP FIVE LOCAL CABLE BRAND AND IMPORTED CABLES.

ESTABLISHED IN THE MIDDLE OF 1996, PT MEGA KREASI EKATAMA TAKES PRIDE IN RAPIDITY TO DELIVER YOUR CABLING NEEDS IN TIME. OUR LARGE SUM OF STOCKS WOULD BE YOUR POWER IN SUPPLYING ON SITE AND YOUR PARTNER TO GROW TOGETHER.

AT YEAR 2001 DUE TO OUR FAST GROWING, WE ENLARGE THE WAREHOUSE AT TANGERANG FROM 560M² TO APROXIMATELY 2000M² GIVING A NEW STRENGTH PERSPECTIVE IN CABLING SUPPLY BUSINESS. THIS YEAR, 2008, WE SUCCEED BUILDING A NEW DISTRIBUTING WAREHOUSE APROXIMATELY 2100M² AT BEKASI TO REACH EASILY COVERAGE AREA OF CIBITUNG, CIKARANG AND CIKAMPEK.

WE ASSURE OUR CLIENTS TO DEAL WITH THE ADVANCE MANAGEMENT TEAM OF PT MEGA KREASI EKATAMA. YEARS OF EXPERINCE IN THIS LINE OF BUSINESS WOULD HAVE BEEN PRODUCING AN ENORMOUS AUGMENTATION OF QUALITY WHICH WE GIVE THIS KIND OF SERVICE TO OUR CLIENTS WITH OUR BEST CUSTOMER SUPPORT SYSTEM BASED ON AN IDEA OF EFICIENT BUT SOPHISTICATED INFORMATION TECHNOLOGY.

NEVERTHELESS, LEADER WE MUST BE, IGNORANCE WE SHALL NOT. PHASES TO GROW WIDER IS CURRENTLY UNDER IMPLEMENTATION TO ACHIVE OUR AIM BECOMING THE BIGGEST AND STRONGEST CABLE SUPPLIER UNDER THE NAME OF **PT MEGA KREASI EKATAMA**.





COORPORATE DETAILS

KEY PERSON :

Director : Hasanuddin Amir

Marketing Manager : Doddy Hidayat Hasanuddin

Operational Manager : Hilmy Rachman Hasanuddin

COMPANY NAME : PT MEGA KREASI EKATAMA

ADDRESS : RUKAN TANJUNG MAS RAYA BLOK B1 NO.39
JI. LENTENG AGUNG TIMUR
KEL. TANJUNG BARAT, JAKARTA SELATAN

ZIP CODE : 12530

STATUS : PRIVATE OWN COMPANY

PHONE : 7883.4405 [hunting]

FAXCIMILE : 7883.4406

DELIVERY : 707.300.85, 707.300.86

EMAIL : megakreasi@gmail.com

WEBSITE : www.mke-cables.com

DATE ESTABLISHED : MAY 24TH 1996

VAT LETTER (N.P.W.P) : 01.771.128.4.071.000

WAREHOUSE : APROXIMATELY 2100 SQM. WITH

- ▶ 7 UNITS TRUCKS CONSIST OF :
10 TON, 5 TON & 2 TON
- ▶ 3 UNITS FORKLIFT CONSIST OF :
10 TON, 5 TON & 3 TON
- ▶ 3 UNITS CNC WIRE CUTTER
- ▶ MACHINARY FOR CABLES HANDLING
- ▶ ADVANCED FIRE ALARM AND SECURITY





PRODUCTS

CABLES , CABLES & CABLES

TOP BIG FIVE LOCAL :

- ◆ POWER CABLES UP TO 120kV
- ◆ XLPE & PVC INSULATION
- ◆ BUILDING WIRE
- ◆ TELEPHONE UP TO 2500 PAIRS

BRANDS: SUPREME, JEMBO, METAL, LINDO, TRANKA

IMPORTED :

- ◆ INSTRUMENT & SHIELDED
- ◆ SCREENED
- ◆ DATA
- ◆ COAXIAL
- ◆ FIRE RESISTANT CABLE
- ◆ SHIP WIRING CABLES
- ◆ MARINE CABLES

BRANDS: BELDEN, IMC, DRAKA, MAX FOH, HELUKABEL, LAPP
PRYSMIAN, NEXANS, SYSTIMAX

[> PLEASE SEE PAGE NEXT PAGE FOR TYPES OF ELECTRIC CABLES <](#)







Our Products – 1 : Type = Core x Size (mm²)

NYY	1 x 4	NYY	4 x 1,5	NYM	3 x 10	NYYHY	4 x 35		
	1 x 6		4 x 2,5		3 x 16		4 x 50		
	1 x 10		4 x 4		3 x 25		4 x 70		
	1 x 16		4 x 6		4 x 1,5		4 x 95		
	1 x 25		4 x 10		4 x 2,5		4 x 120		
	1 x 35		4 x 16		4 x 4		4 x 150		
	1 x 50		4 x 25		4 x 6		4 x 185		
	1 x 70		4 x 35		4 x 10		4 x 240		
	1 x 95		4 x 50		4 x 16		4 x 300		
	1 x 120		4 x 70		4 x 25				
	1 x 150		4 x 95		NYFGBY		2 x 1,5		
	1 x 185		4 x 120				2 x 2,5		
	1 x 240		4 x 150				2 x 4		
	1 x 300		4 x 185				2 x 6		
	1 x 400		4 x 240				2 x 10		
	1 x 500		4 x 300				2 x 16		
	1 x 630		4 x 300				2 x 25		
	NYY		2 x 1,5		NYYHY		2 x 2,5	2 x 35	3 x 0,75
			2 x 2,5				4	2 x 50	3 x 1,5
2 x 4		6	2 x 70	3 x 2,5					
2 x 6		10	2 x 95	3 x 4					
2 x 10		NYYHY	2 x 120	3 x 6					
2 x 16			3 x 10						
2 x 25			3 x 16						
2 x 35			3 x 25						
2 x 50			3 x 35						
2 x 70			3 x 50						
2 x 95	3 x 70								
2 x 120	3 x 95								
NYY	3 x 1,5		NYYHY	3 x 2,5	4 x 0,75				
	3 x 2,5			4 x 1,5					
	3 x 4	4 x 2,5							
	3 x 6	4 x 4							
	3 x 10	4 x 6							
	3 x 16	4 x 10							
	3 x 25	4 x 16							
	3 x 35	4 x 25							
	3 x 50	4 x 35							
	3 x 70	4 x 50							
NYY	3 x 95	NYYHY	3 x 120	4 x 70					
	3 x 120		4 x 95						
	3 x 150		4 x 120						
	3 x 185		4 x 150						
	3 x 240		5 x 0,75						
	3 x 300		5 x 1,5						
			5 x 2,5						









Our Products – 1 : Type = Core x Size (mm2)

	5 x 4	NYYHY	16 x 0,75		38 x 4		3 x 1,5
	5 x 6		16 x 1,5				3 x 2,5
	5 x 10		16 x 2,5	NYYHY	40 x 0,75		3 x 4
			16 x 4		40 x 1,5		3 x 6
NYYHY	6 x 0,75		16 x 6		40 x 2,5		3 x 10
	6 x 1,5						
	6 x 2,5	NYYHY	19 x 0,75	NYYHY	50 x 0,75	NYMHY	4 x 0,75
	6 x 4		19 x 1,5		50 x 1,5		4 x 1,5
	6 x 6		19 x 2,5		50 x 2,5		4 x 2,5
			19 x 4				4 x 4
NYYHY	7 x 0,75		19 x 6	NYYHY	60 x 0,75		4 x 6
	7 x 1,5				60 x 1,5		4 x 10
	7 x 2,5	NYYHY	20 x 0,75		60 x 2,5		
	7 x 4		20 x 1,5			N2XSY	1 x 25
	7 x 6		20 x 2,5	NYYHY	61 x 0,75	12/20 Kv	1 x 35
			20 x 4		61 x 1,5		1 x 50
NYYHY	8 x 0,75		20 x 6		61 x 2,5		1 x 70
	8 x 1,5						1 x 95
	8 x 2,5	NYYHY	21 x 0,75	NYAF	0,50		1 x 120
	8 x 4		21 x 1,5		0,75		1 x 150
	8 x 6		21 x 2,5		1,5		1 x 185
			21 x 4		2,5		1 x 240
NYYHY	9 x 0,75				4		1 x 300
	9 x 1,5	NYYHY	24 x 0,75		6		1 x 400
	9 x 2,5		24 x 1,5		10		1 x 500
	9 x 4		24 x 2,5		16		1 x 630
	9 x 6		24 x 4		25		
					35	N2XSEBY	3 x 25
NYYHY	10 x 0,75	NYYHY	27 x 0,75		50	12/20 Kv	3 x 35
	10 x 1,5		27 x 1,5		70		3 x 50
	10 x 2,5		27 x 2,5		95		3 x 70
	10 x 4		27 x 4		120		3 x 95
	10 x 6				150		3 x 120
		NYYHY	30 x 0,75		185		3 x 150
NYYHY	12 x 0,75		30 x 1,5		240		3 x 185
	12 x 1,5		30 x 2,5		300		3 x 240
	12 x 2,5		30 x 4		400		3 x 300
	12 x 4						3 x 400
	12 x 6	NYYHY	32 x 0,75	NYMHY	2 x 0,75		
			32 x 1,5		2 x 1,5		
NYYHY	14 x 0,75		32 x 2,5		2 x 2,5	More Cables :	
	14 x 1,5		32 x 4		2 x 4	- FRC	
	14 x 2,5				2 x 6	- CAT 5E UTP/STP	
	14 x 4	NYYHY	38 x 0,75		2 x 10	- CAT 6 UTP/STP	
	14 x 6		38 x 1,5			- CAT 7 STP	
			38 x 2,5	NYMHY	3 x 0,75		



SOME KNOWLEDGE OF POWER ELECTRIC CABLES

Shape Of Power Electric Conductor

	(re) round solid conductor size : 1.5 - 10 mm ²		(cm) circular compacted conductor size : 25 - 800 mm ²
	(rm) circular stranded conductor size : 1.5 - 1000 mm ²		(sm) sector shaped conductor size : 50 - 300 mm ²

Power Cables (Up to 150kV) VDE, IEC502, SPLN



- NYY
- NYM
- NYA
- NYAF
- NYYHY
- NYMHY
- NYFGbY
- NYRGbY
- N2XY
- N2XSY
- N2XSEBY
- On Customer's Specification are subject to be manufactured at minimum quantity.

Imported Cables (Up to 150kV)

SCREEN CABLES (LIYCY) [RM]
 INSTRUMENT (PE-OS-PVC)
 FIRE RESISTANT CABLES [Metal, Draka, etc]
 DATA-ALARM-CATV [BELDEN / AMP]

* Current Voltage:

- Low Voltage
- Medium Voltage
- High Voltage

* Cores:

- Single Core
- Multi Cores

* Size (in millimeter square VDE):

++ Small Cables Category : < 16 mm²



- 0.50
- 0.75
- 2.5
- 4
- 6
- 10

++ Big Cables Category : > 10 mm²

- 16
- 25
- 35
- 50
- 70
- 95
- 120
- 150
- 185
- 240
- 300
- 400
- 500
- 630



OUR WORLD OF CABLING : PICTURES - 1



TYPE OF CABLE	SYMBOL	SIZE RANGE	APPLICABLE STANDARDS	APPLICATIONS
 Heavy Thermoplastic Flexible Cable Copper conductor, PVC insulated and PVC Sheathed	NYHY	2 x 1.5 - 120 mm ² 3 x 1.5 - 120 mm ² 3 x 1.5 - 120 mm ² 5 x 1.5 - 50 mm ²	Manufacturer Standard	Installation in dry and damp interiors
 Armoured Cable Copper conductor, PVC insulated, Flat steel wire & tape armoured and PVC Sheathed	NYFGbY	2 x 1.5 - 150 mm ² 3 x 1.5 - 150 mm ² 3 x 1.5 - 300 mm ² 5 x 1.5 - 50 mm ²	SPLN 43-2 IEC 502, VDE 0271 Other Specification are available on request	Underground distribution
 Armoured Cable Copper conductor, PVC insulated, Steel wire with or without steel tape armoured and PVC Sheathed	PVC/AWA VVAZV NYRGbY PVC/SWA/PVC VVWAZV	1 x 50 - 630 mm ² 2 x 1.5 - 150 mm ² 3 x 1.5 - 300 mm ² 4 x 1.5 - 300 mm ² 5 x 1.5 - 50 mm ²	SPLN 43-2 IEC 502, VDE 0271, JIS C 3316 Other Specification are available on request	Underground distribution
 Armoured Cable Copper conductor, PVC insulated, Double Steel tape armoured and PVC Sheathed	NYBY, VVTAZV PVC/DSTA/PVC VVTAZV	2 x 1.5 - 150 mm ² 3 x 1.5 - 300 mm ² 4 x 1.5 - 300 mm ² 5 x 1.5 - 50 mm ²	IEC 502, JIS C 3316 Other Specification are available on request	Underground distribution









OUR WORLD OF CABLING : PICTURES - 2

PVC INSULATED POWER CABLES 0.6/1 KV AND BELOW

TYPE OF CABLE	SYMBOL	SIZE RANGE	APPLICABLE STANDARDS	APPLICATIONS
 Heat resistant Cable Copper conductor, and PVC insulated	HIV	1.5 - 500 mm ² 0.9 - 500 mm ²	IEC 502, JIS 3317 Other Specification are available on request	Installation in conduit/tray
 Thermoplastic Building Wire Copper conductor, and PVC Sheathed	NYA, IV CU/PVC HO7V-R HO7V-U	1.5 - 400 mm ²	SPLN 42-1, IEC 227, JIS C 3307, BS 6004 Other Specification are available on request	Installation in conduit/tray / Groding Wire

PVC INSULATED POWER CABLES 0.6/1 KV AND BELOW

TYPE OF CABLE	SYMBOL	SIZE RANGE	APPLICABLE STANDARDS	APPLICATIONS
 Indoor Cable Copper conductor, PVC insulated and PVC Sheathed	NYM	2 x 1.5 - 35 mm ² 3 x 1.5 - 35 mm ² 4 x 1.5 - 35 mm ² 5 x 1.5 - 35 mm ²	SPLN 42-2, IEC 227, VDE 0250 Other Specification are available on request	Installation in conduit/tray
 Non Armoured Cable Copper conductor, PVC insulated and PVC Sheathed	NYY, VV PVC/PVC	1 x 1.5 - 500 mm ² 2 x 1.5 - 150 mm ² 3 x 1.5 - 300 mm ² 4 x 1.5 - 300 mm ² 5 x 1.5 - 50 mm ²	SPLN 43-1 IEC 502, VDE 0271, JIS C 3342 Other Specification are available on request	Installation in conduit/tray
 Thermoplastic Building Wire, Flexible Cable Copper conductor, PVC insulated	NYAF, KIV HO7V-K	1.5 - 400 mm ²	SPLN 42-3, IEC 227, JIS C 3316, SS 358 PART 3, BS 6004 Other Specification are available on request	Installation in conduit/tray
 Medium Heavy Thermoplastic Flexible Cable Copper conductor PVC insulated and PVC Sheathed	NYMHY	2 x 0.75 - 2.5 mm ² 3 x 0.75 - 2.5 mm ² 4 x 0.75 - 2.5 mm ² 5 x 0.75 - 2.5 mm ²	SPLN 42-6-2 IEC 227 Other Specification are available on request	Installation in conduit/tray
 Heavy Thermoplastic Flexible Cable Copper conductor, PVC insulated and PVC Sheathed	VCT, NYSHY	1 x 0.75 - 100 mm ² 2 x 1.5 - 120 mm ² 3 x 1.5 - 120 mm ² 3 x 1.5 - 120 mm ² 5 x 1.5 - 50 mm ²	JIS C 3312 SPLN 42-6-3 Other Specification are available on request	Installation in dry and damp interiors



OUR WORLD OF CABLING : PICTURES – 3





NOTES:



[End of File]